

AXIS M3016

Artikelnummer: 219407



AXIS M3016
1/3" Netzwerk Dome, Fix, Farbe, 1,8mm, H.264,
Einbau, 2304x1296, PoE

Hauptmerkmale

Spezifikationen

Serie	Axis M30
Auflösungsstandard	3 Megapixel
System	Farbe
Chipgröße	1/3"
Aufnahmesensor	CMOS
Videokompression	H.264, H.265, M-JPEG
Bildauflösung max.	2304x1296
Bildübertragungsrate max.	25 fps
IR-Sperrfilter	Standard
Lichtempfindlichkeit	0,35 Lux, bei F2,4, 50 IRE
Low Speed Shutter	nein
Wide Dynamic Range (WDR)	WDR
Bewegungsmelder	ja
Objektiv Typ	Festbrennweite
Brennweite	1,8 mm
Digital Zoom	ja
Bildwinkel horizontal	152 °
Beleuchtung	nein

AXIS M3016

Fortsetzung Spezifikationen

Gehäuse	Innen
Farbe (Gehäuse)	weiß
Farbe (Kuppel)	klar
Gehäusematerial	Kunststoff
Heizung	nein
Videoausgänge	nein
Alarmeingänge	nein
Audiounterstützung	nein
Steuer-Schnittstellen	nein
Interner Speicher	microSD-Karte, microSDHC-Karte, microSDXC-Karte
Montageart	Deckeneinbau
Stromversorgung	PoE
Power over Ethernet	IEEE 802.3af
Vandalismusgeschützt	nein
Temperaturbereich (Betrieb)	0°C ~ +45°C
Schutzart	keine Angabe
ONVIF	ja
Hersteller-Nr.	01152-001

Optionales Zubehör

Art. Nr.	Bezeichnung	Beschreibung
203440	AXIS T8640 POE+ OVER COAX KIT	Medienkonverter, RJ45, BNC, Ethernet über Koax, PoE+, Base-/Device Set (2 Stück)
203447	AXIS T8129 POE EXTENDER	PoE Extender, PoE, PoE+ kompatibel, RJ45, 100m Reichweite
204489	AXIS T8604 MEDIA CONVERTER SWI	Ethernet Medienkonverter, 2x 10/100Mbps RJ45, 2x 100/1000Mbps SFP
204715	AXIS T8120 15W MIDSPAN 1-PORT	PoE Midspan, 1 Port, IEEE802.3af, 10/100Mbps
209066	AXIS COMPANION VMS	Video Management Software, für 16 Axis Kameras, kostenlose Freeware
209772	AXIS T8646 POE+ OVER COAX KIT	PoE+ OVER COAX Set, 6-Kanal: 1x T8646 POE+ OVER COAX BLADE, 6x T8642 POE+ OVER COAX DEVICE
212103	AXIS T8415 INSTALLATION TOOL	Installations Tool, zur Axis Kamera Einrichtung, WiFi, Akku, USB, PoE+, ONVIF
91652	AXIS POE MIDSPAN 16-PORT	PoE Midspan, 16 Port, IEEE802.3af, 90-264VAC
92204	AXIS POE MIDSPAN 8-PORT	PoE Midspan, 8 Port, IEEE802.3af, 90-264VAC
213757	ACS CORE DEVICE E-LICENSE	Axis Camera Station Software, Version 5.x Core Device, E-Lizenz, 1 Kanal
213758	ACS UNIVERSAL DEVICE E-LICENSE	Axis Camera Station Software, Version 5.x Universal Device, E-Lizenz, 1 Kanal

AXIS M3016

Fortsetzung Zubehör

213761	ACS 1 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, Lizenzcode, 1 Kanal
213762	ACS 4 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, Lizenzcode, 4 Kanal
213763	ACS 16 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, Lizenzcode, 16 Kanal
213764	ACS 32 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, Lizenzcode, 32 Kanal
213765	ACS 1 UNIVERSAL DEVICE LICENSE	Axis Camera Station Software, Version 5.x Universal Device, Lizenzcode, 1 Kanal
213766	ACS 4 UNIVERSAL DEVICE LICENSE	Axis Camera Station Software, Version 5.x Universal Device, Lizenzcode, 4 Kanal
213767	ACS 10 UNIVERSAL DEVICE LIC	Axis Camera Station Software, Version 5.x Universal Device, Lizenzcode, 10 Kanal
213768	ACS 20 UNIVERSAL DEVICE LIC	Axis Camera Station Software, Version 5.x Universal Device, Lizenzcode, 20 Kanal
216064	AXIS SAFETY WIRE 3M 5P	Sicherheitsseil, Edelstahl, 3m lang, mit Schlaufen, für Axis Domes, 5 Stück
216645	AXIS 4IN1 SECURITY SCREWDRIVER	Schraubendreher Set, 4-in-1, Biteinsätze passend für Axis Produkte, inkl. Tasche
217125	AXIS T8154 60W SFP MIDSPAN	PoE Midspan, 1 Port, 60W, SFP-Slot, Gigabit, 100-240V
217688	AXIS T8144 60W INDUSTRIAL MIDS	High PoE Midspan, 1 Port, 60W, Gigabit, -40 - +75°C, 20-60VDC DIN Montage

Ihr Ansprechpartner

c-tac GmbH & Co.KG
 Am Siel 4
 21423 Winsen/Luhe
 DE
 Ansprechpartner: Volker Kappen
 Tel.: 04171-669565
 E-Mail: info@c-tac.com
 Web: www.c-tac.com

