

## DS-D5227U3-1P0 27-inch 4K Monitor




- 178° ultra-wide view screen.
- 3D noise reduction.
- Low blue light design for eye care.
- Dual interface of HDMI and DP.
- Support VESA wall mount.

## ▪ Specification

Model		DS-D5227U3-1P0
Display	Screen Size	27 inch
	Active Display Area	596.736 (H) mm × 335.664 (V) mm
	Resolution	3840 × 2160
	Backlight	E-LED
	Pixel Pitch	0.1554 mm (H) × 0.1554 mm (V)
	Brightness	350 cd/m <sup>2</sup>
	Viewing Angle	178° (H) / 178° (V)
	Color Depth	10 bit
	Contrast Ratio	1200:1
	Response Time	14 ms (typ) (G to G) OD 5 ms
	Refresh Rate	Typ. 60 Hz
	Haze	Haze 25%, 3H
	Reliability	7 × 24 H
	Color Gamut	72% NTSC/sRGB 100% (CIE1931)
Interface	Video & Audio Input	HDMI 2.0 × 2, DP 1.4 × 1
	Video & Audio Output	Audio Out × 1
Power	Power Supply	100~240 VAC, 50/60 Hz
	Power Consumption	≤ 50 W
	Standby Consumption	≤ 0.5 W
Working Environment	Working Temperature	0 °C to 40 °C (32 °F to 104 °F)
	Working Humidity	20% RH to 90% RH (Non-Condensing)
	Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
	Storage Humidity	10% RH to 90% RH (Non-Condensing)
General	Casing Material	Plastic
	VESA	100 mm × 100 mm (4 - M4 × 10 mm)
	Bezel Width	2.0 mm (top/left/right), 20.0 mm (bottom)
	Product Dimensions (W × H × D)	With base: 614.7 (W) mm × 452.5 (H) mm × 226.4 (D) mm (24.20" × 17.81" × 8.91") Without base: 614.7 (W) mm × 366.4 (H) mm × 53.5 (D) mm (24.20" × 14.43" × 2.11")
	Package Dimensions (W × H × D)	680 (W) mm × 530 (H) mm × 120 (D) mm (26.77" × 20.87" × 4.72")
	Net Weight	5.11 ± 0.5 kg (11.27 ± 1.10 lb.)
	Gross Weight	6.54 ± 0.5 kg (14.42 ± 1.10 lb.)
	Packing List	Monitor × 1, Base component × 1, Power cable × 1, HDMI cable (1.5 m) × 1, User manual × 1, Multilingual manual × 1
	Remarks	The base is included by default. The product appearance and parameters in this specification may vary from your actual device. Please consult our local sales staff for further information

▪ Physical Interface


Interface	Description	Interface	Description
①	AC power input interfac	②	HDMI 2.0 digital signal input interface
③	HDMI 2.0 digital signal input interface	④	DP 1.4 input interface
⑤	3.5 mm Audio output interface		



▪ Available Model


DS-D5227U3-1P0

▪ Dimension



Unit: mm

- **Accessory**
- **Optional**



**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

